Are you still putting up with feeder clogs? Get your material flow cookin' along with VIBCO.



Product Application
Bulletin #417
Model MLT-SS-130
Stainless Steel
Turbine Vibrator


VIBCO'S SOLUTION

VIBCO engineers recommended installing the VIBCO MIT-SS-130 Stainless Steel Turbine Vibrator. It was mounted to an existing platform attached to the transition cone. Stainless steel was necessary for the sanitary requirements of the food industry.

VIBCO'S BENEFITS

After installing the VIBCO MIT-SS-130 Stainless Steel Vibrator the customer received the following benefits:

- Increased production dramatically by reducing clogging by over 50%
- No more lost man hours to manual unclogging of the feed cone
- Increased revenue with increased production output



"We reduced our clogging by over 50%!

We were having trouble feeding whole baby carrots - they kept getting caught cross-wise in the transition feed cone from the scale feeder to the feed tube. Our system was set to run at 65 cycles per minute, but we weren't even getting close to maintaining that rate because we were always having to stop the machine and clear it manually. As soon as we installed the VIBCO vibrator we were able to reduce our clogging by over 50%, and I'm absolutely confident that, with a few more pressure and location adjustments, we'll eliminate the clogs altogether!"

Plant Manager,

Sam V., California

Model MLT-SS-130 Stainless Steel Turbine Vibrator

- 304 Stainless Steel Construction
 75 lbs of force
- 10,500 VPM at 80 PSI
- 68 dB maximum noise

5.5 CFM at 80 PSI

CLICK HERE FOR ADDITIONAL TECHNICAL DETAILS

ALTERNATE MODELS

VIBCO MLT-130 Epoxy-Coated Pneumatic Turbine Vibrator

Call 800-633-0032 for a FREE 10-Day Product Trial

visit: www.vibco.com fax: 401-539-2584 e-mail: vibrators@vibco.com